

INOVAR FLOOR

Superior Water Resistant Laminate Flooring





MF 863 Burmese Teak

Inovar Floor **ticks all the boxes!**

We constantly challenge ourselves to be at the forefront of the market in terms of **latest design trends** and **technology**. This is reflected in both the range of products we offer and the features they include. From the **realistic surface finishes** of **natural timber**, **superior water resistance** and **fully sealed edges** using **WaxGuard +** technology, Inovar Floor are truly leaders in product innovation.

Passionate about **product quality** we are committed to not only meet but **surpass** today's **manufacturing standards** and supplying you with only the best quality products. This commitment is reflected in our **market leading warranties**. How else can we offer a Lifetime Product Warranty?

Inovar Floor has been used in many **projects world wide** by reputable architects, builders/developers and consumers alike. Inovar Floor has also recently been approved for supply into the Japanese market which has the highest quality standards of any country. This is proof of a **global quality** standard that will further enhance **confidence** when choosing Inovar Floor.

Inovar Floor is made of raw materials from **renewable resources** and **hardwood** fibers used in the core come from **reclaimed and recycled** wood waste. This eliminates the need to extract wood from natural forests, making Inovar Floor a natural product that is also **environmentally friendly**. Inovar Floor **ticks all the boxes!**

8mm Original Collection

Our Original Collection offers an array of colours, styles and textures. With lighter colours like Premier Beech or Country Oak that will brighten any room, to the deep luster of Jarrah or even mysterious tones of Rajah Teak. Offering textures including a traditional wood grain finish or the latest wood embossed surface you are sure to find a product that will best compliment your interior design ideas. The only challenge is which one to choose.

Profiled using the state of the art patented Valinge locking system ensures easy DIY installation and greater joint strength over time.

All covered by a 25 year residential and 3 year light commercial warranties our 8mm Original Collection is truly a tough, affordable flooring option that will look beautiful day in day out and stand the test of time.



Sacramento Pine – MF 161



Awana Kempas – MF 636



Planked Oak – MF 330



Tasmanian Jarrah – MF 798



Balinese Teak – MF 869



Rajah Teak – MF 825



Sumatran Teak – MF 879



Burmese Teak – MF 863



Ayers Cherry – MF 286



Pacific Cherry – MF 261



Premier Beech – MF 329



Toni Beech – MF 296



Country Oak – MF 380



Merbau – MF 700



Valley Plum – MF 613



Country Walnut – MF 850



The 8mm Original Series boasts the following features:

8mm 8mm Floorboard Thickness

WG Wood Grain Surface

WE Wood Embossed Surface



Utility Class AC3 - 23/31 The Utility Class is an abrasion resistance rating. AC3 – 23/31 is classified for heavy domestic and light commercial use.

We have ensured that all information is correct at time of printing. Product colour and patterns shown are as accurate as the limitations of the printing process will allow. Please request for an actual sample from us when making a selection. We reserve the right to amend the colour range or specifications at any time. Interested purchasers are encouraged to confirm all product specifications and product availability. Thank you.

12mm Timberline Collection

Our Timberline Collection is available in 8 appealing colours in a wood sculpture surface finish really capturing that authentic timber appearance. Because it is 12mm thick and more solid under foot you would think you are walking on the real thing.

The Timberline Collection is a part of our Traffic Zone product category. With an AC5 abrasion rating makes it the highest wear resistant laminate available, allowing it to perform extremely well in the highest traffic areas. Timberline is suitable for both residential and heavy commercial applications.

Also using the Valinge Patented locking technology the 12mm Timberline Collection is profiled with the "Top Lock" which allows interlocking of the long and short side of the board in one swift motion ensuring a very quick & easy installation process.

All covered by our market leading Lifetime residential and 10 Year commercial warranties our 12mm Timberline Collection is the hardest wearing laminate flooring available.



Vine Maple – FE 116



Johann Maple – FE 119



Wolton Cherry – FE 285



Canyon Acacia – FE 560



Iroko Kambala – FE 701



Glen Doussie – FE 703



Hawaiian Koa – FE 722



Semarang Teak – FE 801



FE 722 Hawaiian Koa



FE 801 Semarang Teak

The 12mm timberline collection boasts the following features:

12mm 12mm Floorboard Thickness

W.S. Wood Sculptured Surface



Utility Class AC5 - 23/33 The Utility Class is an abrasion resistance rating. AC5 - 23/33 is classified for heavy domestic and heavy commercial use.

We have ensured that all information is correct at time of printing. Product colour and patterns shown are as accurate as the limitations of the printing process will allow. Please request for an actual sample from us when making a selection. We reserve the right to amend the colour range or specifications at any time. Interested purchasers are encouraged to confirm all product specifications and product availability. Thank you.

Inovar Floor **caring was never so easy!**

Cleaning your Inovar Floor is a breeze, with spills and marks simply wiping away. Even the likes of coffee, tomato sauce, hand cream and wine all disappear with the wipe of a damp cloth. These would surely stain some other floor coverings. Shoe polish, nail polish, black marking pen and ball point pen can all be cleaned with methylated spirits or acetone.

For preventative maintenance follow this simple checklist. It will ensure that your floor always looks its' very best:

- Use walk off mats at all entries to reduce the amount of dirt and grit that is brought inside on to the floor.
- Place felt pads on the legs of tables and chairs and on the bases of any movable furniture that is likely to scratch the surface of the floor.
- Ensure that your floor is kept clean and free of grit by using an electrostatic mop to keep your floor clean.
- Spot clean when necessary
- Periodically, you will need to wash your floor. Use warm water with a Microfibe Mop. Ensure the mop is well wrung before using.



Inovar Floor - **The Buck stops with us!**

Relax, all Inovar floors are covered by our direct manufactures warranties. In the unlikely event that you have a product problem you deal directly with the manufacturer. Each warranty covers your floor for the period of that warranty, against manufacturing defects, fading, staining and wear through.

For full details of our warranty please see the relevant warranty card available at your local Inovar Floor retailer or download online at www.inovarfloor.com.au

8mm **Original** Collection



12mm **Timberline** Collection



Inovar Floor lets get technical!

A. Highly Anti-abrasive Protective Overlay

The anti-abrasive overlay consists of millions of aluminum oxide particles per square meter which act as a deterrent against scuff, scratches and wear. This overlay is rated using an abrasion test. The final rating is returned in an AC Utility Class and carries a symbol to represent its residential and commercial suitability.

For example: AC3 is considered a heavy residential and light commercial product and carries the following class symbol.



Where as our 12mm  products are all rated AC5 which are suitable for use in both heavy residential and commercial areas.




B. Melamine Impregnated Decorative Film

The high quality decorative film is the layer that contains the timber design of the floor and is impregnated with melamine resin. It is the quality of the layer that determines its colour fastness over time. If a cheaper paper is used the design can fade.

C. High Density Hardwood Fibreboard (HDF)



The high density wood fibre board is made from recycled and reclaimed hardwood fibres compressed under temperature and high pressure. Hardwood is naturally resistant against moisture and humidity, making its fibres most suitable to be used as the core material for laminate flooring. This is what gives Inovar Floor its Superior Water Resistant qualities.



Profiled using state of the art patented Valinge Locking System allows quick and easy glueless installation whilst maintaining superior joint strength over time.

Inovar Floor is also protected by WaxGuard+®. This process coats the locking mechanism on all four sides of the floorboard with a water repellent for added protection against moisture.

An option worth considering is: EcoPlus® Super E0 product. Any of our products can be manufactured using the EcoPlus® technology with its negligible formaldehyde emission makes Inovar Floor a truly environmentally friendly floorcovering option.

D. Balancing Film for Dimensional Stability


The balancing film on the back surface balances up the board to provide good dimensional stability. Also impenetrable by water, this layer acts as another moisture barrier for the floor.

E. Silenpro Underlay



Another optional feature is SilentPro: Pre-attached EVA Foam with a 1.5mm thickness noise absorption underlay for effective sound reduction.

Technical Specification	Standard	8mm Characteristic/ Result	12mm Characteristic/ Result
Thickness Swelling Test	EN 13329	< 8% swelling	< 8% swelling
Abrasion Test	EN 13329	AC3	AC5
Board Thickness	EN 13329	8mm	12mm
Board Density	EN 13329	>850kg/m ³	>850kg/m ³
Stain Resistance	EN 13329	Rating 5 (No visible change)	Rating 5 (No visible change)
Cigarette Test	EN 13329	Degree 5 (No visible change)	Degree 5 (No visible change)
Fade Resistance	EN 13329	Level 6 (No discoloration)	Level 6 (No discoloration)
Fire Classification	EN 13501-1	C _{fl} s1	C _{fl} s1
Roller Castor Chair Resistance	EN 13329	No visible change	No visible change
Simulated Pushing of Furniture Leg	EN 13329	No visible change	No visible change
Impact Resistance	EN 13329 (Annex F)	IC1 and IC2	IC1 and IC2



Product - Quick Reference Guide

8mm x 1286mm (L) x 190mm (W) VL
 12mm x 1200mm (L) x 137mm (W)
 AC3
 AC5
 (WE) Wood Embossed
 (WG) Wood Grain
 (WS) Wood Sculptured
 Original
 Formed Edge
 + Valinge Patented Locking System
 + Coreguard
 + Waxguard Plus
 + Traffic Zone
 + *Ecoplus
 + *StienPro

Specification	Colour	Product Code	Dimension	Utility Class	Surfaces	Non-Bevel	Bevel	Features										
8mm Original Collection																		
	Sacramento Pine	MF 161	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●
	Planked Oak	MF 330	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Balinese Teak	MF 869	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Sumatran Teak	MF 879	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Ayers Cherry	MF 286	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Premier Beech	MF 329	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Country Oak	MF 380	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Valley Plum	MF 613	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Awana Kempas	MF 636	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Tasmanian Jarrah	MF 798	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Rajah Teak	MF 825	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Burmese Teak	MF 863	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Pacific Cherry	MF 261	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Toni Beech	MF 296	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Merbau	MF 700	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Country Walnut	MF 850	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
12mm Timberline Collection																		
	Vine Maple	FE 116	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Johann Maple	FE 119	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Wolton Cherry	FE 285	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Canyon Acacia	FE 560	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Iroko Kambala	FE 701	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Glen Doussie	FE 703	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Hawaiian Koa	FE 722	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Semarang Teak	FE 801	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

● = Standard Features ⊙ = Optional Features

*Customisation of product is dependant on minimum order quantity and other conditions.

Distributed by



p 1300 900 501 f 1300 500 502
 w www.inovarfloor.com.au

Product Benefits

- Impact Resistant
- Stain Resistant
- Scratch Resistant
- Ultra-violet Resistant
- Hygienic & Easy to clean
- Resistant to cigarette burn
- Resistant to household chemicals
- Stands up to wear and tear
- Does not breed dust-mites
- Water Resistant

