


LAMINATE FLOORING

INOVAR FLOOR

Longer Life. Lasting Impressions.



MF 368 Taroko Oak



The Company

Established in 1996, **Inovar** is a well-respected **pioneer** in the laminate flooring industry in Asia. With its **flagship showroom** in **Petaling Jaya, Malaysia** and **regional offices** in **India, Thailand, Vietnam, Singapore, Taiwan, Australia, Cambodia** and **Indonesia**, **Inovar** has its headquarters in Bestari Jaya - about 60km from Kuala Lumpur, Malaysia - incorporating a well-equipped factory with advanced German technology.

Producing the world-renowned brand **Inovar Floor**, it has come a long way in establishing a global presence as a **leading manufacturer of superior water-resistant laminate flooring** and it is also the first company in Asia to successfully develop the **highly-acclaimed Super E0 F-4star quality** laminate flooring for the Japanese market.

Through hard work and perseverance while also diligently working closely with our customers and business partners, **Inovar Floor** is able to meet the demands of discerning customers globally and it is now widely-recognized as a **premium** brand in laminate flooring in the markets that it serves. In addition, **Inovar Floor** has also been certified as the **No.1 Brand** of Laminate Flooring in Japan based on a report published by a reputable research firm. With a highly-experienced management team, a committed and dedicated staff force, and strong support from its investors, business partners and customers, **Inovar Floor** is confident of leading the market to greater heights.



Winner of the Asia Pacific Brandlaureate
SMEs Best Brands Master Award 2013 &
Best Brand for 7 Consecutive Years
2007 - 2013 : Laminate Flooring Category





Table of Contents

Longer Life. Lasting Impressions. 2

Why Inovar Floor ? 5

Original Series

Original Series - Wood Embossed Surface Finish 6-7

Original Series - Woodgrain Surface Finish 8-11

InVogue Series 12-13

DuraShine Series 14-15

Sierra Series 16-19

Frontier Series 20-21

Traffic Zone Series

Traffic Zone 22-23

Traffic Zone XL & Traffic Zone Mini 24-25

Timberline Series

Formed Edge Collection 26-27

V-Groove Collection 28-29

Strong. Robust. Durable. 30

A Complete Range of Accessories 31

Our Respect for the Environment 32



Longer Life. Lasting Impressions.

Acclaimed as one of the world's leading producers and exporters of high quality laminate flooring, **Inovar** offers various product series that are created to fit most interior design styles and décor concepts - to give your home or business premise a distinctively timeless yet elegant ambience.

From classy, evergreen colors to modern, simplistic designs or a rustic yet natural look, **Inovar Laminare Flooring** helps create a lasting impression for your interior. Our globally-renowned quality makes it a durable investment that will surpass any other floor covering material of its class.

Produced only with environmentally friendly processes using raw materials from sustainable sources, **Inovar Laminare Flooring** fits perfectly into your lifestyle while being totally eco-friendly and it has been certified to be JIS F-★★★★ compliant in Japan.




We invite you to start exploring the world of **Inovar Laminare Flooring**, and be delighted with how we can add value and create a significantly better environment for your home, business premise or your development project.




CERT NO. : TUV104 13 2372
ISO 14001:2004

JAS-ANZ



**Certified ISO14001:2004 Compliant
as at 25 October 2012**



MF 860 Grand Walnut





MF 380 Country Oak



Why Inovar Floor?

With years of extensive research and development, reliable manufacturing processes, a solid **Direct Manufacturer's Warranty**, and finally, a multi-award winning brand, the question is really - "Why Not?"

It goes without saying that only a company built on solid foundations and with an equally strong R & D background and committed management and workforce can afford to give you such peace of mind, and this is exactly what you get when you make **Inovar Laminare Flooring** your choice.

More Durable & More Impact Resistant

Made from eco-friendly high quality materials, **Inovar Laminare Flooring** is significantly stronger than any conventional floor covering material - making it more durable & more impact resistant.

Superior Water Resistant Quality

The unique raw materials that we use make **Inovar Laminare Flooring** the most water resistant laminate flooring you can find in the market. In fact, our factory has been recognized as the **world's largest exporter of superior water resistant quality laminate flooring**.

Extensively-used in Projects

The superb quality of **Inovar Laminare Flooring** has made it the preferred floor covering material in many projects not only within its homeground of Southeast Asia, but also all over the world. **Inovar Laminare Flooring** helps to accentuate the value of your property and at the same time, create a lasting impression.

Convenient Regional Accessibility

With its headquarters and a flagship showroom and distribution centre strategically-located in Malaysia, **Inovar** has set up an extensive regional network to serve you better, with its own offices and distribution facility in various countries, namely, India, Thailand, Singapore, Vietnam, Taiwan, Australia, Cambodia, Indonesia and more to come. With such commitment, you can rest assured that **Inovar** will be focused on creating high quality products that meet international standards.



Certified as the **No.1 Laminare Flooring Brand in Malaysia** based on a research conducted by Kadence International in 2011 among architects, designers and contractors who are specifiers / recommenders of laminate flooring.



Certified as the **No.1 Laminare Flooring Brand in Japan** (by Market Share, 2009 - 2013). Source : Yano Research Institute of Japan (Yano Report 10 April 2013)



Certified as the **No.1 Laminare Flooring Brand in Taiwan** based on a research conducted by the National Tunghai University (Dept of Industrial and Enterprise Information) in 2011.



Received the **Singapore Circle of Excellence Award** for 2011-2012 conferred by Asia Business Journal.






MF 501 Andes Panga

Original Series

Original
Series

Wood Embossed Surface Finish



Utility Class

AC4

Dimension

1288 mm (L) x 192 mm (W) x 8 mm (T)

Panels / Carton

8 Panels / Carton
(1.98 sqm / 21.3 sq ft)


Board Core

CoreGuard®
Superior Water Resistance Quality HDF



Profile Treatment

WaxGuard®



Installation / Bevel

Interlocking Profile (Click System) /
Flat-Joint (Non-Beveled)



Panel Format

		1P
		Single Plank
		2P
		Two Planks

1P	MF 161 Sacramento Pine	
1P	MF 300 Valencia Oak	
1P	MF 330 Planked Oak	
1P	MF 336 Congo Oak	
2P	MF 501 Andes Panga	
2P	MF 619 Heritage Rosewood	
1P	MF 703 Glen Doussie	
1P	MF 722 Hawaiian Koa	
1P	MF 738 African Wenge	
2P	MF 798 Tasmanian Jarrah	
1P	MF 806 Montreux Walnut	
2P	MF 825 Rajah Teak	
2P	MF 863 Burmese Teak	
2P	MF 871 Pearl Teak	
1P	MF 889 Grand Teak	




MF 879 Sumatran Teak

Original Series

Original
Series

Wood Grain Surface Finish



Utility Class
AC4

Dimension
1288 mm (L) x 192 mm (W) x 8 mm (T)

Panels / Carton
8 Panels / Carton
(1.98 sqm / 21.3 sq ft)

Board Core
CoreGuard®
Superior Water Resistance Quality HDF




Profile Treatment
WaxGuard®



Installation / Bevel
Interlocking Profile (Click System) /
Flat-Joint (Non-Beveled)



Panel Format



3P MF 103
Country
Alder



1P MF 116
Vine Maple



1P MF 119
Johann
Maple



3P MF 128
Imperial
Maple



2P MF 286
Ayers
Cherry



3P MF 301
Zen Oak



3PL MF 303
Honey Oak



1P MF 316
Amazon
Oak



2P MF 329
Premier
Beech



1P MF 332
Monument
Oak



1P MF 368
Taroko Oak




1P MF 371
Raffles Oak



Original Series

Original
Series

Wood Grain Surface Finish



Utility Class
AC4


Dimension
1288 mm (L) x 192 mm (W) x 8 mm (T)

Panels / Carton
8 Panels / Carton
(1.98 sqm / 21.3 sq ft)

Board Core
CoreGuard®
Superior Water Resistance Quality HDF




Profile Treatment
WaxGuard+®



Installation / Bevel
Interlocking Profile (Click System) /
Flat-Joint (Non-Beveled)



Panel Format




2P	MF 380 Country Oak	
3PL	MF 398 Spanish Oak	
1P	MF 450 Victoria Alder	
1P	MF 510 Coastal Blackbutt	
1P	MF 530 QLD Spotted Gum	
1P	MF 550 NSW Spotted Gum	
1P	MF 560 Canyon Acacia	
2P	MF 613 Valley Plum	
2P	MF 636 Awana Kempas	
1P	MF 647 Natur Maple	
3P	MF 700 Merbau	
1P	MF 707 Brazilian Wood	

Original Series

Original
Series

Wood Grain Surface Finish



Utility Class
AC4

Dimension
1288 mm (L) x 192 mm (W) x 8 mm (T)

Panels / Carton
8 Panels / Carton
(1.98 sqm / 21.3 sq ft)

Board Core
CoreGuard®
Superior Water Resistance Quality HDF




Profile Treatment
WaxGuard®



Installation / Bevel
Interlocking Profile (Click System) /
Flat-Joint (Non-Beveled)



Panel Format



1P	MF 801 Semarang Teak	
1P	MF 808 Marino Walnut	
3P	MF 830 Picasso Walnut	
3P	MF 850 Country Walnut	
2P	MF 860 Grand Walnut	
1P	MF 869 Balinese Teak	
1P	MF 879 Sumatran Teak	
3P	MF 881 Honey Maple	
3PL	MF 885 Thai Teak	



IV 323 Twilight




IV 302 Black Forest Oak

InVogue Series

inVogue

Wood Grain Surface Finish



Utility Class

AC4

Dimension

1288 mm (L) x 192 mm (W) x 8 mm (T)

Panels / Carton

8 Panels / Carton
(1.98 sqm / 21.3 sq ft)


Board Core

CoreGuard®
Superior Water Resistance Quality HDF



Profile Treatment

WaxGuard+®




Installation / Bevel


Interlocking Profile (Click System) /
Flat-Joint (Non-Beveled)



Panel Format



1P Single Plank



IV 302 Black Forest Oak



IV 320 Kahlua Wood



IV 323 Twilight



IV 328 Greyville




IV 331 Augusta Oak



IV 387 Venetian



IV 502 Eskimo



IV 503 Angkor



IV 668 Santos Latte




DV 550 NSW Spotted Gum

DuraShine Series



Gloss Surface Finish



Utility Class

AC4

Dimension

1285 mm (L) x 137 mm (W) x 12 mm (T)

Panels / Carton

6 Panels / Carton
(1.056 sqm / 11.363 sq ft)


Board Core

CoreGuard®
Superior Water Resistance Quality HDF




Profile Treatment

WaxGuard+®




Installation / Bevel

Interlocking Profile (Click System) /
V-Groove Beveled



Panel Format



1P Single Plank



DV 510 Coastal Blackbutt



DV 530 QLD Spotted Gum



DV 550 NSW Spotted Gum



DV 560 Canyon Acacia



DV 703 Glen Doussie



DV 879 Sumatran Teak



SV 1005 Stromboli

Introducing the Sierra Series


The **Sierra Series** is a range of premium laminate flooring perfectly-crafted in the size of stone slabs to let you create a natural looking and elegant interior. With this series, you can now enjoy the beautiful look of luxurious marble and fine quality stones without contributing to the mass depletion of the world's natural resources.

Produced using the same high precision technology that has made **Inovar** a premium brand in laminate flooring, you can expect no less from the **Sierra Series**. Apart from its true-to-life marble and stone designs, it is also very impact-resistant and thus reduces the likelihood of having a chipped surface, while its glossy surface finish helps to add a touch of elegance to any well-appointed interior.

Sierra Series



Gloss Surface Finish



Utility Class

AC4

Dimension

850 mm (L) x 295 mm (W) x 8 mm (T)

Panels / Carton

8 Panels / Carton
(2.006 sqm / 21.59 sq ft)


Board Core

CoreGuard®
Superior Water Resistance Quality HDF



Profile Treatment

WaxGuard+®



Installation / Bevel

Interlocking Profile (Click System) /
V-Groove Beveled



Panel Format




1P Single Slab



SV 1001 Marble Carrara



SV 1002 Romano Travertine



SV 1003 Kuro Sandstone



SV 1005 Stromboli



SV 1001 Marble Carrara




FR 803 Gaudi Teak

Frontier Series



Wood Grain Surface Finish



Utility Class

AC4

Dimension

1288 mm (L) x 192 mm (W) x 8 mm (T)

Panels / Carton

8 Panels / Carton
(1.98 sqm / 21.3 sq ft)


Board Core

CoreGuard®
Superior Water Resistance Quality HDF




Profile Treatment

WaxGuard®



Installation / Bevel

Interlocking Profile (Click System) /
Flat-Joint (Non-Beveled)




Panel Format




1P

Single Plank




3P

3 Planks Blocks



3PL

3 Planks Long Blocks



FR 202 Choco Latte

1P



FR 605 Maxim Cherry

1P



FR 803 Gaudi Teak

1P



FR 822 Safari Walnut

1P



FR 991 Eco Oak

3PL



FR 992 Eco Beech

3PL



FR 993 Eco Maple

3P




TZ 636 Awana Kempas

Traffic Zone Series



Wood Embossed Surface Finish



Utility Class

AC5

Dimension

1285 mm (L) x 188 mm (W) x 12 mm (T)

Panels / Carton

6 Panels / Carton
(1.45 sqm / 15.6 sq ft)


Board Core

CoreGuard®
Superior Water Resistance Quality HDF



Profile Treatment

WaxGuard®



Installation / Bevel

Interlocking Profile (Click System) /
Flat-Joint (Non-Beveled)




Panel Format




1P

Single Plank



2P

Two Planks



3P

3 Planks Blocks



TZ 161 Sacramento Pine

1P



TZ 286 Ayers Cherry

2P




TZ 330 Planked Oak

1P



TZ 636 Awana Kempas

2P



TZ 825 Rajah Teak

2P



TZ 863 Burmese Teak

2P



TZ 869 Balinese Teak

1P



TZ 879 Sumatran Teak

1P



TZ 881 Honey Maple

3P



Traffic Zone Series

Wood Embossed Surface Finish




Utility Class
AC5


Board Core
CoreGuard®
Superior Water Resistance Quality HDF



Profile Treatment
WaxGuard+®



Installation / Bevel
Interlocking Profile (Click System) /
V-Groove Beveled




Panel Format

Traffic Zone XL



1P Single Plank

Traffic Zone Mini



1P Single Plank



Traffic Zone XL

Dimension
1720 mm (L) x 188 mm (W) x 12 mm (T)

Panels / Carton
6 Panels / Carton (1.9402 sqm / 20.9 sq ft)



XV 330 Planked Oak



XV 331 Augusta Oak



XV 368 Taroko Oak



XV 502 Eskimo



Traffic Zone Mini

Dimension
848 mm (L) x 107 mm (W) x 12 mm (T)

Panels / Carton
12 Panels / Carton (1.089 sqm / 11.7 sq ft)

MV 330
Planked Oak



MV 331
Augusta Oak



MV 368
Taroko Oak



MV 502
Eskimo






FE 703 Glen Doussie

Timberline Series

Formed Edge Collection

Formed Edge

Wood Sculptured Surface Finish



Utility Class

AC5

Dimension

1200 mm (L) x 137 mm (W) x 12 mm (T)

Panels / Carton

6 Panels / Carton
(0.9864 sqm / 10.604 sq ft)


Board Core

CoreGuard®
Superior Water Resistance Quality HDF




Profile Treatment

WaxGuard+®



Installation / Bevel

Interlocking Profile (Click System) /
Formed Edge Beveled



Panel Format



1P Single Plank



FE 116 Vine Maple



FE 119 Johann Maple



FE 285 Wolton Cherry



FE 328 Greyville



FE 560 Canyon Acacia



FE 703 Glen Doussie



FE 722 Hawaiian Koa



FE 801 Semarang Teak



FE 879 Sumatran Teak




VG 722 Hawaiian Koa

Timberline Series V Groove Collection



Wood Embossed Surface Finish



Utility Class
AC5


Dimension
1285 mm (L) x 137 mm (W) x 12 mm (T)

Panels / Carton
6 Panels / Carton
(1.056 sqm / 11.363 sq ft)


Board Core
CoreGuard® Superior Water
Resistance Quality HDF




Profile Treatment
WaxGuard+®



Installation / Bevel
Interlocking Profile (Click System) /
V-Groove Beveled



Panel Format



1P Single Plank



VG 161 Sacramento Pine



VG 330 Planked Oak



VG 450 Victoria Alder




VG 560 Canyon Acacia



VG 703 Glen Doussie



VG 722 Hawaiian Koa




VG 801 Semarang Teak

Strong. Robust. Durable.

Made from high quality eco-friendly raw materials, **Inovar Laminate Flooring** is strong and robust enough to give your floor a longer life. Its beautiful décor and highly scratch resistant surface will help to maintain a beauty interior while creating a lasting impression.

Components



A Highly Anti-abrasive Protective Overlay

The anti-abrasive protective overlay consists of millions of aluminum oxide particles and it is a highly effective protection against the scuffs and scratches that your floor is subjected to.

B Melamine Impregnated Decorative Film

Reproduced through sophisticated processes and techniques, this layer gives your floor a natural and true-to-life décor that is practical and functional, and also extremely eco-friendly.

C CoreGuard® High Density Hardwood Fibreboard (HDF)

The CoreGuard HDF is highly water resistant, and it is also made with materials from sustainable sources. It has a higher density than natural timber and this makes it very impact-resistant and durable.

D WaxGuard+® (Edge Protection)

This wax treatment on the edges gives the floorboard an additional protection against moisture, makes installation a breeze and at the same time, helps to reduce squeaking noises caused by uneven subfloors.



With WaxGuard+



Without WaxGuard+

E Balancing Film for Dimensional Stability

This layer on the back surface acts as the moisture barrier and helps to balance up the board and provides the flooring panel with good dimensional stability.

F SilenPro® Sound-Absorbing Layer (Optional)

This optional feature comes in the form of a pre-attached foam layer that helps in noise absorption and can be applied to all product ranges on request.

WaxGuard+®



CoreGuard®
Superior Water-Resistant Quality



Water
Resistant



Impact
Resistant



Stain
Resistant



Scratch
Resistant



Ultra-violet
Resistant



Hygienic
& Easy
To Clean



Resistant To
Cigarette
Burn



Resistant To
Household
Chemicals




Stands Up
To Wear
And Tear



Does Not
Breed
Dust-Mites


A Complete Range of Accessories

At **Inovar**, we do not only inspire you with great flooring ideas; we work hard to provide you with a complete flooring solution. **Inovar** offers a range of flooring profiles and skirting made of various materials that are closely color-matched to complement the décor of your floor.




Staircase Profile

As staircase nosing at the edge between the tread and the riser.




End Profile

For proper borders of different floor levels, in front of adjacent sills, tiles or other raised surfaces or platforms.




Transition Profile

For transition between floors of the same level.




Skirting Profile

For covering expansion gap at the edge along the base of the walls. Available in various heights.



Adaptation Profile

For connecting Inovar Laminate Flooring with adjacent lower surface (carpet, PVC, etc).



Woodhauz Profile

Matching color strip for concealing expansion space at the foot of the doorjamb. Mainly used when a transition profile is not installed between the two connecting areas.



Our Respect for the Environment

Our respect for the environment has long been a part of our company's core values and this has become the guiding principle in all that we do.

At **Inovar Group**, we are proud to share that efforts in environment conservation receive our utmost attention. We ensure that environmental impact is given due consideration when selecting raw materials and also when appointing suppliers and business partners or when deciding on our manufacturing practices and processes.

For example, the raw materials that we use come from sustainable sources and are produced with environmentally-friendly processes. With **Inovar Laminate Flooring**, you get great quality without compromising on being eco-friendly.

The **Inovar Group** is committed to protect the environment at all locations where our manufacturing, logistics and administration activities are performed. As an environmentally-conscious business, **Inovar Group** is committed to the following corporate environment, safety and health policy :

- Fulfill the responsibility of trustee of environment for this and future generations
- Comply with all current applicable legal and other requirements
- Strive to minimize releases to air, water and land
- As appropriate, take corrective action where past practices have harmed the environment
- Strive for continual improvement of the environment management system
- Prevent pollution through reuse, recycle and reduction

In line with the company's environmental policies and good practices, **Inovar Floor** has been certified to be ISO14001:2004 compliant since 25 October 2012.

Through our humble efforts, we know we can make a difference. Make **Inovar Laminate Flooring** your choice, and join us in creating a better tomorrow for all.



035-068-1011
MADE FROM SUSTAINABLE / RENEWABLE FIBRES

Although every effort has been taken to ensure that the colors shown in this brochure are as accurate as possible, variations in color may occur due to limitations of the printing process. Your final choice should only be made with an actual product sample if color accuracy is a priority.

All designs and information in this brochure are correct at time of printing and we reserve the right to amend information contained herein as required. For the latest update on designs available, please visit <http://www.inovarfloor.com/flooring.html> or scan the QR code here to log on from your smartphone or tablet.



◆ INOVAR MANUFACTURING GROUP



INOVAR INDUSTRIES SDN BHD ^{215316-T}

Specialist Manufacturer of Water Resistant Laminate Flooring

Lot 2994, Jalan Bukit Badong, 45600 Bestari Jaya, Selangor D.E., Malaysia.

T. 603 3271 7499

F. 603 3271 7491

E. enquiry@inovarfloor.com

◆ INOVAR MARKETING GROUP

Specialist Marketer of Floor Covering Materials



INOVAR FLOOR MALAYSIA

20B, Jalan Penchala,
46050 Petaling Jaya,
Selangor Darul Ehsan, Malaysia.

Tel : + 603 7785 1266

Fax : + 603 7785 3266

Email : info@inovarfloor.com



INOVAR FLOOR INDIA

67 / 458 Shree Gajanan CHS,
MHB COLONY, Opp OBEROI MALL,
Malad East, Mumbai 400097, India.

Telefax : + 91 22 2842 8460

Customer Care : 080 808 35355

Email : customercare@inovarfloor.com



INOVAR FLOOR JAPAN

405, 1-2-1, Ryokuen, Izumi-ku,
Yokohama, 245-0002 Japan.

Tel : + 81 45 812 8523

Fax : + 81 45 810 6471

Email : sth japan.mrktg@inovarfloor.com



INOVAR FLOOR SINGAPORE

222, Tagore Lane #03-16,
TG Building, Singapore 787603

Tel : + 65 6358 4025

Fax : + 65 6356 3693

Email : inovarsg@inovarfloor.com



INOVAR FLOOR TAIWAN

1F, No 161, Sec 2, Wenhua Road.,
Banciao City, Taipei County 220,
Taiwan R.O.C.

Tel : + 886 2 2255 4777

Fax : + 886 2 2255 4667

Email : inovartaiwan@inovarfloor.com



INOVAR FLOOR THAILAND

629 / 669-670 Sathupradit Road,
Bangpongpan, Yannawa,
Bangkok 10120, Thailand.

Tel : + 662 295 2977

Fax : + 662 295 2978

Email : inovarthailand@inovarfloor.com



INOVAR FLOOR VIETNAM

358, Truong Chinh Street,
Dong Da District, Hanoi, Vietnam.

Tel : + 84 4 3564 2006

Fax : + 84 4 3564 2007

Email : sales.vn@inovarfloor.vn



INOVAR FLOOR AUSTRALIA

2, Wella Way, Somersby,
NSW 2250, Australia.

Tel : 1300 900 501

Fax : 1300 900 502

Email : sales@inovarfloor.com.au



INOVAR FLOOR CAMBODIA

No. 149AE0, Mao Tse Tong Blvd,
Sangkat Toul Svay Prey I,
Khan Chamkarmorn,
Phnom Penh, Cambodia.

Tel : + 855 23 222 336

Email : inovarcambodia@inovarfloor.com




INOVAR FLOOR INDONESIA

Jalan Daan Mogot Raya KM 13,
Pergudangan Duta Indah Karya,
Blok C, No.18, Jakarta Barat, Indonesia.

Tel : + 62 21 2952 6918 / 2967 5261

Email : inovar.id@inovarfloor.com



www.inovarfloor.com

Member Company of



VASA INTERNATIONAL SDN BHD ^{451355-K}

| MALAYSIA | AUSTRALIA | INDIA | JAPAN | SINGAPORE | TAIWAN | THAILAND | VIETNAM | CAMBODIA | INDONESIA |